




Bi-flash kit Ø 200 with 80 LEDs • Rechargeable battery power supply
REF : 16894



« This is a safety device designed to increase visibility in a construction site area. Equipped with three Ø 200 mm optics with 80 LEDs, these warning and marking lights can effectively signal interventions in progress on the sides of traffic lanes.»



- Very low power consumption.
- 3-position switch: OFF / 24-24h / Night trigger.
- Ø 200 optics with 30 LEDs protected by a polycarbonate lens.



ROADWORKS SIGNALING

Range: Sign Lighting Equipments

Bi-flash kit Ø 200 with 80 LEDs • Rechargeable battery power supply REF : 16894



Efficient technology:

Grâce à la technologie LED sélectionnée pour avoir le meilleur rendement intensité/consummation et à un boîtier de gestion permettant d'adapter sa puissance lumineuse en fonction de l'éclairage ambiant, ce kit biflash consomme 2 à 3 fois moins que les autres tout en étant bien plus lumineux.



Simplified use:

Power is supplied by connecting a battery (not included) directly to the control box.

TECHNICAL INFORMATION

Operating mode	3 modes: OFF / H24 / Night trigger Double flash
Power supply	12 V Rechargeable battery (not supplied)
Autonomy	1 279 hours with a 12 V 75 Ah rechargeable battery
Protection	Optics : IP 67. Housing : IP 53.
Size (L x l x h)	Optics: Ø 222 mm – Housing: 149 x 55 x 111 mm
Weight	2 Kg

ASSOCIATED PRODUCTS



➔ 1953

Rechargeable Batterie
12 V / 75 Ah



➔ 26758

Charger for batteries
12 V / 8 A / 96 W



➔ 1555

Battery holder
box ≤ 75 Ah



Trafic Technologie Système

Headquarters and manufacturing center : ZI Carros - 1^{ère} avenue, 2^{ème} rue - BP 594 - 06516 Carros cedex - France
Tél. : +33 (0)4 92 08 29 99 - Email : info@ttsys.fr - Web site : www.ttsys.eu