



ROADWORKS SIGNALING

Range: Temporary Roadworks Traffic Light



Watch the video presentation

Set of 2 Tempo regulation traffic lights • with remote control

REF : 35375



Made in France

tempo 
REGULATION

« The passage cycle adapts in real time to traffic, which reduces the number of vehicles waiting at the light and encourages good behavior.

Kill two birds with one stone, this model has a dual mode of operation which makes it compatible with standard lights.*

(*) By starting it in its standard mode, the light pairs with other TEMPO models equipped with a countdown timer. »

2:53

Waiting time display in min. and sec.



Clear Programming



Low price and reactivity on the spare parts



Dual mode : standard and specific



RADIO communication over 300 m

- In standard mode it is compatible with the TEMPO range.
- Waiting time display.
- Clear programming (7 programs).
- 180° hood opening.
- Adapts to all your sites with management of 3 and 4 branch intersections.
- Fork passage integrated into the feet.





ROADWORKS SIGNALING

Range: Temporary Roadworks Traffic Light

Set of 2 Tempo regulation traffic lights • with remote control REF : 35375



Waiting time display:

Tempo is the only construction light to integrate the display of waiting time in minutes and seconds. Visible from 40 meters, the waiting time display prevents unwanted passages.



Clear programming:

With a clear transcription of the remote control's actions on the display, coupled with its ergonomic infrared programming module, managing traffic on a construction site has never been so easy.



Self-regulation mode:

Thanks to the efficiency of its software and its ease of programming, make your arrangements in 2, 3 or 4 lights simply thanks to its auto mode which automatically manages the advanced criteria. To free up the functionalities, a manual mode remains available. The communication distance between lights is 300 m.




Ultra-resistant optics:

The Tempo traffic light optics integrate the electronic circuits inside a molded ABS dome fitted on the front with a polycarbonate protective lens. The assembly has an IK10 protection index against shock and IP55 against dust and water, even projected at high pressure.



Easy handling:

Tempo is the only construction site traffic light equipped with a forklift as standard! Its handling handles are perfectly placed in relation to its center of gravity and allow the traffic light to be handled with limited effort.



Adapts to all your sites:

7 Programmable configurations integrated on the standard version.

Flexibility is the key word. The Tempo light, in its standard version, also offers the possibility of managing alternations at 3 and 4 branch intersections. It supports the management of cross and permutation cycles on the greens.



➔ Alternating



➔ 3 branches junction



➔ 4 branches junction

Set of 2 Tempo regulation traffic lights

REF : 35375

180° opening of the hood:

Fully opening the cover allows complete ease of positioning the battery in the box.



Mât désolidarisable :

The mast can be completely separated from the box giving our light: **the smallest footprint on the market.**



TECHNICAL INFORMATION

Operating mode	Alternating, turning or crossroads / 2, 3 or 4 lights.
Power supply	12 V battery or 230/12 V power supply. Provide power supply by fire.
Autonomy	2 weeks with 12V 100 Ah battery or 4 weeks with 12V 200 Ah battery.
Protection	Protection of light sources and control electronics: IP 56.
Size (L x l x h)	H: Closed mast 1.55 m – open 2.50 m / L: 548 mm / W: 960 mm.
Weight	85 Kg (excluding battery) for the set of two lights.
Composition	The construction site traffic light set includes two masts, two boxes and a programming remote control. Each mast is made up of three optical Ø 210/80 LEDs with high light intensity and low consumption (one red, one yellow, one green).
Options	Vehicle detection or regulation radar / Remote control / Radio.



ROADWORKS SIGNALING

Range: Temporary Roadworks Traffic Light

TEMPO range : Specialist's expertise result !

tempo
STANDARD




tempo
SOLAR




tempo
RÉGULATION v2



tempo
OPTIONS



Do you know our specific protection solutions?



Do you know all the options?

tempo
OPTIONS



ASSOCIATED PRODUCTS



→ 376

Battery 12 V / 200 Ah



→ 1992

Battery 12 V / 100 Ah



→ 21551

Charger for battery
from 12 V / 25 A / 300 W



→ 26758

Charger for battery
from 12 V / 8 A / 96 W



→ 9322

Battery fixing straps



→ 1522

Mains Supply
230 / 12 V



Trafic Technologie Système

Headquarters and manufacturing center : ZI Carros - 1^{ère} avenue, 2^{ème} rue - BP 594 - 06516 Carros cedex - France
Tél. : +33 (0)4 92 08 29 99 - Email : info@ttsys.fr - Web site : www.ttsys.eu

11/03/25